



# Dynasty Filtration

## Natural Gas Coalescing Filters



### Typical Applications

**Removal of submicron liquids from clean natural gas  
Natural Gas Production, Transmission, Processing, and Distribution**

### MATERIALS OF CONSTRUCTION

Coalescing Media	Micro Fiberglass
Draining Media	Woven Cotton
Core, Outer Support, and End Caps	Galvanized Steel
Gaskets	Buna-N*

\*Others Gasket Materials on Request

### OPERATING CONDITIONS

Maximum Temperature	240° F
Maximum Differential Pressure	75 PSID
Aerosol Particle Retention	0.3 Micron
Flow Direction	Inside Out

Dynasty Filtration  
123 South 16<sup>th</sup> Street  
La Porte, TX 77571

Phone: 713-459-0529 • Fax: 281-842-9273

E-mail: [dynastyfiltration@yahoo.com](mailto:dynastyfiltration@yahoo.com)

## MODEL NUMBERS AND DIMENSIONS

Model	O.D. (inches)	I.D. (inches)	Length (inches)
DF-12	3.5	2.0	12
DF-24	3.5	2.0	24
DF-36	3.5	2.0	36
DF-312	4.5	3.0	12
DF-324	4.5	3.0	24
DF-336	4.5	3.0	36
DF-536	5.5	4.0	36

## Selection Guide

DF - 336 - DOE

Dynasty  
Filter

Size  
12  
24  
36  
312  
324  
336  
536

End Caps  
DOE = Double Open Ends  
CE = Closed End W/ Bolt Hole  
V = Viton Gasket

Dynasty Filtration  
123 South 16<sup>th</sup> Street  
LaPorte, TX 77571

Phone: 713-459-0529 • Fax: 281-842-9273

E-mail: [dynastyfiltration@yahoo.com](mailto:dynastyfiltration@yahoo.com)